





CANALYSE



Sample name: CBD olie 20%
Batchnr: 2023-003
SampleID: #180449
Sample weight: 100 mg
Analysis date: 09-04-2023
Expiration date: 09-04-2024

Tested for:
Henze Ruiter

CERTIFICATE OF ANALYSIS



CANNABINOIDS ANALYSIS

CBD	20.16 % (20.16 mg)	d8-THC	N/D
d9-THC	N/D	CBG	N/D
CBN	0.05 % (0.05 mg)	CBC	0.06 % (0.06 mg)
CBDV	N/D	THCV	N/D

TOTAL CANNABINOIDS

20.27 % (20.27 mg)

This product has been Quality Control tested by Canalyse. Values reported relate only to the product tested. This Certificate shall not be reproduced without the written approval of Canalyse. For more information visit the website: <https://canalyse.nl>



CANALYSE



Sample name: CBD olie 20%
Batchnr: 2023-003
SampleID: #180449

Analysis date: 09-04-2023
Expiration date: 09-04-2024

Tested for:
Henze Ruiter

CERTIFICATE OF ANALYSIS

RESIDUALS ANALYSIS

Toluene	<0.01 ppm	Pentane	<0.01 ppm
Ethylacetate	<0.01 ppm	Methanol	<0.01 ppm
Ethanol	<0.01 ppm	Acetone	<0.01 ppm
Chloroform	<0.01 ppm	Ethylbenzene	<0.01 ppm
m-/p-Xylene	<0.01 ppm	Cyclohexane	<0.01 ppm
Dichloromethane	<0.01 ppm	Hexane	<0.01 ppm
Isopropanol	<0.01 ppm	o-Xylene	<0.01 ppm

This product has been Quality Control tested by Canalyse. Values reported relate only to the product tested. This Certificate shall not be reproduced without the written approval of Canalyse. For more information visit the website: <https://canalyse.nl>



CANALYSE



Sample name: CBD olie 20%
Batchnr: 2023-003
SampleID: #180449

Analysis date: 09-04-2023
Expiration date: 09-04-2024

Tested for:
Henze Ruiter

CERTIFICATE OF ANALYSIS

MICROBIOLOGICAL SCREENING			
E. Coli	<0.01 cfu/g	Aflatoxin B	<0.01 cfu/g
Yersinia	<0.01 cfu/g	Shigella	<0.01 cfu/g
Salmonella	<0.01 cfu/g	Yeasts / molds	<0.01 cfu/g

This product has been Quality Control tested by Canalyse. Values reported relate only to the product tested. This Certificate shall not be reproduced without the written approval of Canalyse. For more information visit the website: <https://canalyse.nl>